

Department of Environmental Quality

Environmental Solutions Division

700 NE Multnomah Street, Suite 600
Portland, OR 97232
(503) 229-5696
FAX (503) 229-5675
TTY 711

March 29, 2017

Jill Fullagar Impaired Waters Coordinator Watershed Unit, Office of Water and Watersheds 1200 Sixth Avenue, Suite 900 (OWW-192) Seattle, WA 98101-3140

RE: OR 2012 Comment Period - EPA's Proposed Additions to Oregon's 2012 Section 303(d) List and Comments on Oregon Coastal Marine Waters

Dear Ms. Fullagar:

The Oregon Department of Environmental Quality (DEQ) has reviewed the Environmental Protection Agency's (EPA) proposed additions to Oregon's 2012 Section 303(d) list of water quality limited waters needing Total Maximum Daily Loads, along with supporting information published by EPA on December 22, 2016 at https://www.epa.gov/tmdl/partial-approvalpartial-disapproval-oregon-2012-303d-list With the same published notice, EPA also requested information and comments on potential aquatic life impairment in Oregon coastal marine waters.

DEQ is providing general comments on the proposed additions and Oregon coastal marine waters in this letter, a table of specific proposed listings that DEQ finds should not be added to the 303(d) list, and corrections on other proposed listings for EPA's consideration in finalizing the additions to Oregon's 303(d) list (Enclosure 1).

1. Comments on EPA's proposed 303(d) additions

EPA proposed 332 additional 303(d) listings identified in Enclosure 4: EPA Proposed Additions. Information about the specific impairing pollutant, the criteria being applied, the sites with monitoring data evaluated for each listing, a summary of the data supporting the impairment finding, and the raw data assembled by EPA was published in other enclosures and appendices to the proposal. DEQ did a high level review of the proposed listings to verify that correct criteria were used by EPA to evaluate monitoring data and to verify that the data evaluations were consistent with Oregon water quality standards. Correct selection of the applicable criterion and time period to evaluate pollutant data, especially for dissolved oxygen, is critical to reach accurate assessment conclusions. DEQ reviewed details in EPA's raw data and intermediate data evaluation steps only to verify conclusions about specific proposed listings.

Generally, EPA's analysis followed DEQ's 2012 assessment protocols and reached conclusions consistent with Oregon water quality standards. Comments on specific proposed listings that are not justified by EPA's supporting data and evaluation or are otherwise in error are provided

in Enclosure 1 to this comment letter. DEQ found that 25 of the proposed 332 additions should not be added to the 303(d) list.

2. Comments on EPA methodology

EPA provided information in Enclosure 6: EPA Listing Methodology for Oregon 2012 303(d) List on the methodology used to assess data and information for the additional 303(d) listings. EPA generally used DEQ's 2012 Assessment Methodology except for the following parameters.

a. Calculated criteria for toxic substances

EPA followed DEQ's protocols to calculate hardness-based aquatic life criteria for toxic metals and used a default hardness of 25 mg/L where hardness data were not part of EPA's data set. We note that a calculated criterion may be different if site and sample specific hardness data are available to determine the appropriate criterion and subsequent evaluations incorporating hardness data could result in a different conclusion regarding impairment.

b. Total phosphorus

EPA is proposing to list 35 waters for total phosphorus. Oregon does not have a numeric standard for total phosphorus. EPA's methodology used a benchmark of 100 ug/L total phosphorus as published in EPA's 1987 Gold Book for water quality criteria along with corroborating evidence of impairments for nutrient related parameters pH, chlorophyll a, or dissolved oxygen to identify the most problematic waters for 303(d) listings. DEQ has not used such an approach in its assessments.

DEQ's practice has been to evaluate the impacts of nutrients such as phosphorus when related to other impairments such as dissolved oxygen and pH during the development of TMDLs. If needed, DEQ may choose to develop an approach that differs from EPA's for future assessments and 303(d) listing to supplement the established protocols that identify impairments caused by harmful algae blooms, chlorophyll a, dissolved oxygen, pH, and temperature. When TMDLs are developed to address waters with nutrient related problems, DEQ will study the water system to determine what pollutants are causing impairments and can be managed by pollutant loading allocations. It may be that anthropogenic sources of total phosphorus are not the primary cause for impairments, and TMDLs will target other sources, conditions, and parameters for control and water restoration.

3. Comments on Data Quality of Data reviewed by EPA

During DEQ's review of the proposed listings, it came to our attention that some of DEQ's Volunteer Monitoring Data provided to EPA have not yet undergone QA/QC review and are of <u>unknown</u> quality. DEQ's IR assessment methodology specifies that DEQ only use data that is known to be of high quality for 303(d) listing purposes. EPA should consider not using these data until the data are known to be of sufficient quality for 303(d) listing purposes.

4. Comments on EPA's proposal to re-list waters with temperature TMDLs
EPA proposed re-listing 714 waters to Oregon's Category 5 303(d) list as published in
Enclosure 7. EPA previously approved delisting these waters from Oregon's 2010 303(d) list
after TMDLs to address water temperature conditions were approved by EPA. EPA states the

March 29, 2017 - Final

Page 2 of 10

rationale for now proposing to re-list these waters is that a pending U.S. District Court decision on litigation (Civil No.: 3:12-cv-01751-AC) will invalidate Oregon's temperature TMDLs approved between 2006 and 2010.

Please clarify if EPA's intent is to have these water remain in "Category 4a: Water quality limited, TMDL approved" as well as being re-listed in "Category 5: Water quality limited, 303(d) list, TMDL needed". This is unusual in that waters generally do not have more than one assessment status for the same parameter/segment combination. EPA's final action should state clearly what assessment category/categories these waters are in.

Please also provide guidance on how EPA and DEQ can clearly communicate such an unusual status through all the Clean Water Act programs, and how it will be tracked in EPA's Assessment and Total Maximum Daily Load (TMDL) Tracking and Implementation System (ATTAINS).

5. Comments on disapproved delistings for dissolved oxygen

EPA's protocols for reviewing dissolved oxygen data were consistent with DEQ's assessment protocols for listing:

"Greater than 10 percent of samples exceed the appropriate criterion and a minimum of at least two exceedances of the criterion for the time period of interest."

However, EPA disapproved delisting 8 waters cited in Enclosure 3 and proposed re-listing those waters for dissolved oxygen impairments during a spawning time period. These include 4 waters in the Tualatin watershed and 4 waters in other watersheds in the Willamette Basin.

DEQ does not agree that these waters should be re-listed, for the reasons discussed below.

a. Disapproved delistings - Tualatin watershed

In the 2012 Integrated Report, DEQ delisted 4 waters based on information indicating the dissolved oxygen spawning criteria were not applicable in the segments in question. DEQ based the delisting conclusion on information provided by OR Department of Fish and Wildlife (8/14/2014) that corroborated conclusions in the 2001 Tualatin River Subbasin TMDL¹ Tualatin Subbasin TMDL (Appendix F, page F-3 and F-4, Figure 3) that salmon, steelhead, and resident trout spawning does not occur in portions or all of these streams. In these waters, the dissolved oxygen spawning criteria therefore are not the appropriate criteria to evaluate data and water impairments. In the event the 2014 ODFW letter was not available for EPA to review with the 2012 303(d) list, DEQ has now posted 2014 Letter from Oregon Department of Fish and Wildlife regarding resident trout in the Tualatin River² on DEQ's website and also attached it to this comment letter (Attachment 1). We request that EPA consider this information and determine that delisting the waters in the following table is warranted. Note that the ODFW information clarified that spawning does occur in portions of Johnson Creek, which is only 4 miles long, and

Page 3 of 10

¹ Tualatin Subbasin TMDL http://www.deq.state.or.us/wq/tmdis/willamette.htm#t

^{2 2014} Letter from Oregon Department of Fish and Wildlife regarding resident trout in the Tualatin River http://www.deg.state.or.us/wg/standards/docs/2014UrbanStreamTroutUse.pdf

the upstream segment of the Tualatin River. DEQ evaluated data showing the spawning criteria were attained in these segments and the data summary provided in the 2012 Integrated Report supports the Category 2: Attaining status determination.

Watershed	Stream	LLID	Record	Miles	Pollutant	Criteria	Action	Listing Status
Tualatin	Dairy Creek	1229958455017	24562	0 to 10.1	Dissolved Oxygen	Spawning	}	Criteria not applicable
Tualatin	Johnson Creek	1228355454932	24534	0 to 7.7	Dissolved Oxygen	Spawning	ł	Criteria not applicable
Tualatin	Johnson Creek	1228355454932	{	2.1 to 4	Dissolved Oxygen	Spawning	Added to database	1
Tualatin	Tualatin Ríver	1226500453377	24507	0 to 62.6	Dissolved Oxygen	Spawning	1	Criteria not applicable
Tualatin	Tualatin River	1226500453377		62.6 to 75.6	Dissolved Oxygen	Spawning	Added to database	1
Tualatin	Unnamed (Nyberg Creek)	1227381453844	24512	0 to 1.3	Dissolved Oxygen	Spawning	}	Criteria not applicable

b. Disapproved delistings - Willamette Basin

EPA disapproved delisting 4 waters in the Willamette Basin that DEQ had delisted based on data reviewed for the 2012 assessment. EPA previously commented on these delistings when proposed by DEQ in the draft 2012 303(d) list, and DEQ responded that the analysis was

Page 4 of 10

correct and data supported a finding of standards attainment. From Response to Comments on Oregon's Draft 2012 Integrated Report ³ (November 2014) page 14-15

1. Commenter (3) stated that their review of dissolved oxygen data for the spawning time period in Rock Creek (Record 24501), North Fork Silver Creek (Record 24508), and Silver Creek (Record 24536) did not indicate listing errors in the 2010 303(d) list, or that data for the South Yamhill River (Record 20969) showed attainment. Commenter asserted that delisting actions were not supported by the data.

Response: Oregon's dissolved oxygen standard for spawning includes a minimum criterion for dissolved oxygen (11 mg/L) and a minimum level for percent saturation (95%). DEQ uses both parts of the standard to determine if conditions support the fish spawning use. In other words, if a dissolved oxygen result is less than 11 mg/L, and the percent saturation is under 95 percent, the conditions do not meet the standard. If a result is less than 11 mg/L, but the percent saturation is 95 percent or over, the conditions meet the standard. In the cases cited by the Commenter, DEQ found more than 90% of sample results at each station met one or both parts of the standard, and all the stations were found to be attaining the standard, therefore supporting delisting.

DEQ reviewed EPA's rationale for disapproval, protocol for listing, and data provided in Appendix E, but finds no data to counter DEQ's 2012 Integrated Report conclusions that the standards are attained and delistings are warranted for the following streams.

Rock Creek (Record 24501) – DEQ's 2012 data review found at STATION 32074 at RM 1.7 from 04/28/2005 to 05/11/2010, 2 of 33 (6%) samples < 11.0 mg/l and < 95% saturation, and the standard was attained.

EPA provided data in Appendix E for 3 sampling results that were <u>not</u> within the spawning time period of January 1 - May 15 and were qualified as "estimated" that nevertheless met the dissolved oxygen percent saturation. EPA also provided several temperature results which may have been confused with dissolved oxygen readings. EPA's data do not justify listing.

North Fork Silver Creek (Record 24508) – DEQ's 2012 data review found at STATION 33193 at RM 2.5 from 01/09/2003 to 03/23/2005, 1 of 10 (10%) samples < 11.0 mg/l and < 95% saturation and the standard was attained.

EPA did not provide any additional data in Appendix E.

Silver Creek (Record 24536) - DEQ's 2012 data review found at STATION 10646 at RM 1.3 from 04/15/2005 to 05/12/2008, 3 of 32 (9%) samples < 11.0 mg/l and < 95% saturation, and at STATION 12061 at RM 5.4 from 10/23/2003 to 10/27/2005, 1 of 9

Page 5 of 10

³ Response to Comments on Oregon's Draft 2012 Intergated Report

http://www.oregon.gov/deg/WQ/Documents/Assessment/2012ResponseToComments Final Nov2014.pd

f

(11%) samples < 11.0 mg/l and < 95% saturation. These data met the protocol to find the standard was attained in this stream.

EPA provided data in Appendix E for 1 sample result at station 10646 that did not meet the criteria. However, one sample is not sufficient to list a stream, and a listing is not warranted. EPA also provided several temperature results which may have been confused with dissolved oxygen readings.

South Yamhill River (Record 20969) - DEQ's 2012 data review found at STATION 10948 at RM 16.7 from 02/16/2000 to 04/05/2011, 2 of 25 (8%) samples < 11.0 mg/l and < 95% saturation, and the standard was attained.

EPA provided data in Appendix E for Station 10948 for 7 sampling results from 2/1/2011 to 4/29/2014 within the spawning time period of January 1 - May 15. Only 1 of 7 samples in EPA's data set did not meet the criteria and this is not sufficient to list the stream. Two of these samples were evaluated in DEQ's evaluation. Although EPA did not combine the data sets, doing so shows 3 of 30 samples (10 %) of the combined set do not meet the criteria and this is still not sufficient to list the stream.

EPA's additional data do not alter DEQ's conclusions based on data reviewed for the 2012 integrated Report showing these streams are attaining the dissolved oxygen spawning criteria. Therefore, these delistings should be approved as submitted by DEQ and should not be added back into the 303(d) list.

6. Comments on EPA corrections

DEQ concurs with corrections EPA noted in Enclosure 8 to address errors in DEQ's 303(d) listing of 10 streams for biocriteria, one stream with no data for iron due to incorrect station location, and incorrect association of approved TMDLs with two segments of the Coast Fork Willamette River for dissolved oxygen in the spawning time period. Since the TMDL did not address the spawning time period for the Coast Fork Willamette River, the segment from RM 0 to RM 20.5 should be added to the 303(d) list based on data showing impaired conditions, and the other segment from RM 28.5 to RM 38 should be noted as insufficient data to determine impairment.

7. Information and Comments on Oregon coastal marine waters

With Enclosure 2 of EPA's published notice, EPA requested information and comments on potential aquatic life impairment in Oregon coastal marine waters.

Ocean acidification processes and impacts on ocean waters and marine life need further research and information. As summarized in the final report from the experts convened at Stanford University October 17-18, 2016: "Participants recognized that the recommended

Page 6 of 10

chemical parameters and biological indicators are not yet sufficiently advanced (e.g., specific numerical values, threshold conditions) for use as defined management goals or as criteria..."

To assess Oregon's coastal marine waters, DEQ and EPA must make determinations based on Oregon's laws and current applicable and relevant standards. Data and information supporting 303(d) listings must pertain to Oregon waters which include marine waters up to three miles out from Oregon's coast. Only these areas fall within DEQ's authority to list under the CWA 303(d) process, and are waters where Oregon's water quality standards apply. Oregon's current narrative standards for Biocriteria and numeric criteria for pH are applicable and relevant:

OAR 340-041-0011

Biocriteria

Waters of the State must be of sufficient quality to support aquatic species without detrimental changes in the resident biological communities.

OAR 340-041-0021

pН

- (1) Unless otherwise specified in OAR 340-041-0101 through 340-041-0350, pH values (Hydrogen ion concentrations) may not fall outside the following ranges:
- (a) Marine waters: 7.0-8.5;

The other narrative standards cited by EPA in Enclosure 2 are less relevant as they pertain to wastewater discharges (OAR 340-041-0007(1)) or protecting human consumptive use of fish and aquatic life and water (OAR 340-041-0007(10) misidentified by EPA as (11)).

The state of Oregon is concerned about the impacts of ocean acidification to coastal waters and is an active participant in multi-state and federal discussions aimed at furthering the collective understanding of current conditions and the potential for global and local pollutant contributions. However, listing Oregon's jurisdictional ocean waters is unwarranted at this time. DEQ has in previous Integrated Report cycles affirmed our commitment to listing waters within our jurisdiction when data and information show water quality standards are not met. However, none of the data and information available in previous IR cycles or summarized in EPA's Enclosure 2 has been outside the pH limits for marine waters, or has provided a definite causative link to detrimental changes in resident biological communities.

DEQ does not support EPA listing Oregon waters for parameters that do not have established criteria set to protect communities of marine life (aragonite saturation) or based on observations made in offshore waters outside Oregon's territorial limits or on hypothetical and untested projections into future time or at unmonitored locations.

If in response to the request for information, EPA receives additional verifiable and good quality data that identifies locations in Oregon marine water with pH outside the allowable range, DEQ

Page 7 of 10

⁴ Meeting Summary "Ocean Acidification: Setting Water Quality Goals" October 12-18, 2016, Stanford University, Executive summary page 3

will incorporate new 303(d) listings identified by EPA in their final action on Oregon's 2012 303(d) list into the state's planning process for TMDL priorities.

8. Contact

If EPA has any questions or needs additional information about the comments provided in this letter or the enclosure, please feel free to contact Karla Urbanowicz, Water Quality Assessment Program Lead, at 503-229-6099 or urbanowicz.karla@deq.state.or.us.

Thank you for the opportunity to provide these comments for your consideration. DEQ is looking forward to receiving word on EPA's final action for Oregon's 2012 303(d) list.

Sincerely,

Jennifer Wigal

Manager

Water Quality Standards and Assessment Section

Oregon Department of Environmental Quality

hung whate

Attachment 1 - 2014 Letter from Oregon Department of Fish and Wildlife regarding resident trout in the Tualatin River

Enclosure 1 - OR DEQ Comments on EPA's Proposed 2012 303(d) Additions list (EXCEL)

Cc: Wendy Wiles, Division Administrator, Environmental Solutions, DEQ
Karla Urbanowicz, Water Quality Assessment Program Lead, WQ SAS, DEQ
Eugene P. Foster, Manager, Watershed Management Section, DEQ



Department of Fish and Wildlife

Northwest Region 17330 SE Evelyn Street Clackamas, OR 97015-9514 (971) 673-6000 (971) 673-6070

August 14, 2014

Aron Barok 811 SW 6th Ave. Portland OR 97204



Dear Mr. Aron Barok:

Per your request, I have reviewed the list of streams and stream sections in the Tualatin watershed that you provided to determine native trout spawning and rearing use. My response to each is as follows:

Beaverton Creek – spawning and rearing habitat exists from confluence with Rock Creek upstream to at least Highway 217, and includes many small tributaries like Golf Creek and Walker Creek etc.

Bronson Creek - Spawning and rearing habitat exists from confluence with Beaverton Creek upstream to Saltzman Road.

<u>Cedar Mill Creek</u> - Spawning and rearing habitat exists from confluence with Beaverton Creek upstream to a series of falls at the Cornell Road crossing.

Chicken Creek (RM 0-2.7) — Spawning and rearing habitat for native trout exists in the reach.

Dairy Creek (RM 0-10.1) — This reach only provides migratory and juvenile salmonid rearing habitat, but due to gradient and soft sediment substrate trout spawning does not exist

Dawson Creek (RM 0-4.1) — provides primarily rearing habitat but some spawning is possible.

Johnson Creek (RM 2.1-4) - Spawning and rearing habitat exists.

McKay Creek (RM 0-15.7) - Intermittent spawning and rearing habitat exists.

<u>Tualatin River (RM 0-62.6)</u> – This reach is predominantly a salmon and trout migratory corridor, and due to gradient and substrate does not provide spawning opportunity for resident trout and/or salmon/steelhead rearing.

<u>Nyberg Creek (RM 0-1.3) — This stream only provides rearing and refugia habitat to trout and other salmonids produced in other stream systems in the Tualatin.</u>

I hope this satisfies DEQ's information needs for resident trout spawning and rearing habitat use in these subbasins of the Tualatin River. Please feel free to contact me anytime if you need additional information or clarification on the information provided. Thanks.

Sincerely,

Tom Murtagh

ODFW District Fish Biologist

Clackamas, Oregon

Enclosure1

÷		 On	<i>*</i> ;	ಪ	12	::3	ā	¢	က	7	ග	ıs	ž.	ω	N	Ľ	T
			1-3-	23		4	ಭ	د <u>۔</u> .	ະກ		13 20	OC.	~	ŝ	#	Now of	
2 Acxertey Creek	1 Ackerley Creek	11 Bear Creek	25 Big Elk Creek	234 Powder River	150 Maiheur River	43 Chenoweth Creek	315 Willamette River	110 John Dey River	59 Craaked River	117 Johnson Creek / Tenmile Lako	280 Tennile Lake	80 Eet Oreek	72 Drift Creek	195 North Beaver Creek	148 Lobster Creek	See and the see	ľ
1240830440100	1240830440100	1239039450039	1238753446217	1170508447455	1169731440565	121197245634	1227618456560	1206499457318	1212676445778			1241934435768	1240066444156	1240123445100	1238255443368	CHID.	
MATSAIS	SIUSLAW	SILETZ-YAQUINA	SILETZ-YAQUINA	POWDER	MIDDLE SNAKE: PAYETTE, LOWER MALHEUR	,	LOWER WILLAMETTE	LOWER JOHN DAY	LOWER CROOKED	င္တဝန	coos .	COOS	ALSEA	ALSEA	ALSEA	MUC NAME	144600000000000000000000000000000000000
0 - ,5	05	U-5.8	18.9-29 5	0.456,3	0.67	0-7.87	0.248	0 - 278 2	0-70	0-9:3		4	တဲ ဟ ယ	0.9.5	0-37.7	Series	E E
Year round	Spawning	FWS	Summer	Year round	Year round	Spawning	Year round	Year round	Үеаг гоилд	Summer	Summer	Year round	Year round	Summer	Spawning	508500	
Dissolved Oxygan	Dissalved Oxygen	Ĭ	E Coll	Arsenic	Arsenic	Disadved Oxygen	Fish tissue, DDY	Total Phosphorus	Соррег	Chlorophyll a	Chloraphyll a	Biocriteria	Temperature	ET Cost	Dissolved Oxygen	Faranticles	Commission
STORET	STORET	DEQ Volunteer	DEQ Volunteer	DEG	DEQ	DEQ Volunteer	STORET	DEQ	DEQ	DEQ	DEO.	DED	STORET	DEO	DE Q	authod man	7
17100206 Da nat list	17100206 Do not list	17100204 Do not list	17100204 Do not list	17050203 Do not list		17070106 Do not list	17090012 Do not list	17070204 Da nai list	17070306 Do not list	17100304 Do not list	17100304 Do not list	17100304 Do not list	17100205 Do not list	17100205 Do not list	17100205 Do not list	Cude	
Do not list		Do not list		Do not list	Do not list						Do not list	De not list	Do not list			THE NOTE THAT	
o O	S.	Š	No.	č	Š	Z o	X 6	ő	X ₀	N _o	~	Z.	Z o	ž	8	1 S	
Does not account for % Sat (two-part DO criterion). No temperature data provided with EPA data summary. DEO	Does not account for % Sat (two-part DO criterion). No temperature data provided with EPA data summary. DEQ cannot calculate necroal saturation for those peculis.	Data used by EPA (Appendix H) for site "Sear Cheek at mouth" show 2 out of 40 or 5% exceedance which does not warrant 3,03(d) listing.	Aiready listed for E. Coli. See Record 24681 Segment 31629 Big Elik Crieek RM 18.9 to 29.5 E. coli summer. EPA addition to 2010 303(d) list based on LASAR station 34451.	Aiready listed for arsenic. See Record 13510 Segment ID 11779 Powder River LLID 1170508447455 0 to 146.3 (mouth to lupstream extent)	Already listed for arsenic. See Record 24341 Segment ID 11772 Matheur River LLID 1169731440585 RM 0 to 186.1	Designated salmon spawning lime period for this stream is October 15 - May 15. Only 115 samples within the spawning dates are below 11 mgL and less than 29% saturation, (EPA error in counting 2 samples from October 14 as within spawning time peniod and double counting a duplicate sample on 10/17/2013 as 2 excessances)	This section of the Williametie River LLID 12276 (9456580 RM 0) to 24,8 is afready listed for 4,4 DUT based on fish consumption advisiones (see Record ID 7604) and on wafer column concentrations (see Record 17804). Oregon does not have water quality standards for fish fissus (except for mercury) or for sediment, but does list based on evidence of impairments to beneficial uses such as fish or other equality if econsumption advisories.	It does not appear that any of the sample results for total phosphorus from the two stations on the John Day River (DEQ Stations 11386 and 11479) are greater than the benchmark value of 100 upt. used by EPA to identify impairments.	EPA did not provide hardness data, but when using a default hardness of 28 mg/L, the chronic criterion would be 4.47 ug/L. No sample results provided in EPA's raw copper data sheet exceed this criterion, and a listing is not warranted.	Station 14018 sample is from an arm of Tenmile Lake, represents lake not creek. Covered by TMDL. See OR 2012 IR Record 20340 Tenmile Lake 1241387435617.	Already Calegory 4a. See CIR 2012 IR Record 20340 Tearmile Lake 124174643572817241361435617. Documented in Termile Lakes Watershed TMDL to exceed chiarophyll a critera. TMDL addresses chlorophyll a associated with algae blooms. Incorrectly added by EPA to 2010 303(d) list. Delisted in OR 2012 IR; de-listing approved by EPA Dec 2017.	Aiready listed for Biological Criteria. See Record ID 4983 Segment 2569 Eel Creek 1241934435758 RM 0 to 2.5.	This segment of Drift Creek is designated for satmon and trout rearing and migration. The applicable temperature oritiorion is 18 0 degrees C applied to the 7-day-average maximum. Only combinuous data are acceptable. EFA applied the incorrect criterion to what appears to be grab temperature data.	Already listed for E. Colt. See Record 24714 Segment 2447 North Fork Beaver Creek RM 0 to 9.5 E. coli summer. EPA addition to 2010 303(d) list based on LASAR Station 33997.	EPA evaluation does not account for % Sat (two-part criterion). Only 1 of 12 samples (8%) failed both parts of DO criterion. Listing not warranted.	40000	

Enclosures

N 35	25	224	23	B	12	26	1 ₆	ig ~	
203	241	57	ζο o	13	do. Cir	20	269	180	Page 1
203 North Tennille Lake	241 Rhea Creek	171 Melaius River	168 McKay Creek	22 Beaverton Creek	65 Daily Creek	20 Beaver Creek	269 South Slough Sluslaw River	180 Munsel Creek	Stream Lake
1241456435885	1197735454935	1212861448964	1188411456584	1229133455198	1229858459017	1228637446461	1240795439718	1240972439677	ПП
coos	COLUMBIA)	UPPER DESCHUTES	UMATRLA	MLYTYA	TUALATIN	SOUTH SANTIAM	SIUSLAW	SIUSLAW	HUC Name
0-4.5	0.4.74	e # - 38 6:	0- 35	o Sec	0-10.)	0 - 16.1	0-2.23	0-42	Miles
Summer	ews.	Spawning	Year round	Year round	Year round	Spawning	Estuary	Spawning	Season
Chlorophyll a	H	Dissolved Oxygen	Total Phosphorus	Zinc	Ansenic	Dissolvød Oxygen	Dissolved Oxygen	Dissolved Oxygen	Parameter
DEQ	DEQ	STORET	DEQ	Usga	USGS	DEO	DEQ Volunteer	STORET	Data Source
17100304 Don't list		17070301 Do not list	17070103 Do not list	170900:10 Do not list	17090010 Do not ligt	17090006 Do not list	17100206 Do not list	17100206 Do not list	HUC 8 Bigit
	<u>π</u>		Do not list						Da Net List
Z. o	Ş			No	Zo	N.	No.	No.	C 20
See OR 2012 IR Record 24775 North Tenmille Lake 12416134557(2012)1456435865. Documented in Tenmille Lakes Watershed TMDL to exceed chlorophyll a criteria. TMDL addresses chlorophyll a sasciated with eligae blooms. Incorrectly added by EPA to 2010 303(d) list. Delisted in OR 2012 IR, de-listing approved by EPA Dec 2017.	This stream is within the Umatilia Basin with besin specific pH criteria range from 6.5-9.0. None of the pH raw data does not exceed either 8.5 or 8.0.	The spawning criteria gapylies on the Matchius River for a time period from August 15 – June 15 for Buil Trout and resident trout spawning. Data is available from \$10 REI and LASAR for same station. DEQ LASAR data for Station 10690 shows 1 of 19 semples exceeding the spawning orderia. STORET data (Station 99, same location as DEQ 10690) shows 6 of 56 spawning data samples exceeding spawning orderia. There was \$4 saturation data available for both data sets. The combined data show? of 177, or 9% of results exceeding the spawning orderia. Data does not warrant a listing using the assessment protocols.	It does not appear that any of the sample results for total phosphorus from McKey Creek Station 12005 et RM 1.51 are greater than the benchmark value of 100 ugft, used by EPA to identify impairments.	if appears EPA incorrectly evaluated the data field for sample time (sample_mr) from the USGS station 4630041225103011 raw data rather than the zinc concentration result (parameter measurement po1090). DEO calculated zinc criteria for EPA's data set using a debauth nardness of 25 mg/l. and found that anyl 1 of 21's sample results had a concentration greater than 36 kg/l. the calculated zinc criterion. These data do not support isking for zinc. Additionally, DEO evaluated data for the 201's assessment for [USGS] STATION 453004122510301 at RM 4.9 for 42 samples from 66682007 to 12/062010, and found 0 of 42 valid samples exceeded the hat finess (dapended the first the state the light from this station and [USGS] STATION 4530 at RM 1.2 supported the conclusion that the zinc in this section of Beaverion Creek was Cat 2. Atlaining.	It is unclear from EPA's dails summaries while data were available at USGS Station 14208200, and if the two total recoverable data results flagged as "estimated" were converted to the imagenic freation using the conversion factor of 0.76 (per DEQ and EPA methodology). If not applying the conversion factor results in no exceedance of 2.1 ug/t. DEQ evaluated a larger data set for the 2012 assessment for IUSQS (STATION 14208200 at RM 2 for 56 samples from 05/69/2006 to 12/01/2016, and found only 1 of 66 valid samples secceed the 2.1 ug/t. Criteria. Additionally, data from 05/69/2006 to 12/01/2016 had 0 of 56 valid samples exceed the 2.1 ug/t. Discovered the 2.1 ug/t. Data from 05/69/2006 to 12/01/2016 had 0 of 56 valid samples from 05/69/2006 to 12/01/2016 had 0 of 56 valid samples secceed the 2.1 ug/t. Criteria. These data results supported the conclusion that the arsenic in Dairy Crack was Cat 2. Austining.	For Station 23770, 5 of 10 samples do not meet 11.0 mg/l. during resident trout spawning time period dan 1 - May 1, but during resident trout spawning time period dan 1 - May 1, but only 1 of those does not meet 65% set criterion. Do not list	Questionable data	Does not account for % Sat (two-part DO criterion). No temperature data provided with EPA data summary. DEQ cannot calculate percent saturation for these results.	Comments - DEG

Enclosure1

38	37	36	35	34 4	X.	¥2	<u>್ಷ</u>	30	29	22 63	2 -	
	152					156					Epa Raw** 75	Þ
192 Newhalam-River	162 Malheur River	·	ē.	68 Deschutes River	79 Dry Rivar	156 Lytle Creek	78 Dry River	77 Dy River	157 Lytte Creek	156 Lytte Creek	Sires	œ
1238951456889	1169731440505	1170244436120	1209151456388	1209151456389	12104784433853	1209542443434	1210478443383	1210478443363	1209542443434	1209542443434	LC.D 12104734433853	c
NEHALEM	MIDDLE SNAKE- PAYETTE, LOWER MALHEUR	LOWER OWYHEE	LOWER DESCHUTES	LOWER DESCHUTES	LOWER CROOKED	LOWER CROOKED	LOWER CROOKED	LOWER CROOKED	LOWER CROOKED	LOWER CROOKED	HUD Name	Ö
33.8 - 36.2	0-67	0-200.4	83.8 - 100.4	0-100.4	0 - 0 4	0-9-8	ල ග 4	ထု စာ 4	942 RM 0 to 9.2	0.4.2 RM 0 to 9.2	\$4lee 0-846 RM 0 to 6.4	re
Spawning	Year round	Year round	Spawning (October 15 - June 15)	Year round	Year round	FWS	Summer	FWS	Summer	FWS	Season Year round	71
Dissolved Oxygen	Iron	Lead	Esmperature	Capper	Total Phosphorus	Ï	Ħ	E	E. Coll	E. Call	Parametar Dissulved Cxyyan	G
DEQ	DEG, STORET	DEQ	Army Corps of Engineers	DEG	Storet	DEQ Volunteer	DEG Volunteer	DEQ Volunteer	DEQ Volunteer	DEQ Volunteer	Data Sourge	H
17100202		17050116	17070306	17070306	17070305	17070305	17970805	17970305	17070305	17070305	HUC & Digit: Do Non Lea Codes 17070305	-
Yes	Yes	Yes	Yes	Yes	γes	Yes	Ύes	Yes	řes	Ϋ́es	Yes Yes Yes	_
Correct spelling is Nehalem River	Overlaps existing listing Matheur River LLID 1159731440585 RM 49 to 126 8 aiready listed for Iron. See Record 24342 Segment ID 31484.	OX to list. However, consider fimiting lead to Owyhee River segment below Cwyfree Darn, RM 0 to 18, based on one site near mouth, or lead information in or upstream of Lake Owyhee, and consistency with sisting for coviner RM 0 to 18.	Note: This appears to be based on USGS data.	Since data are from one site at the mouth of the Deschutes River, consider limiting segment to RM 0 to 46.4	The water channel represented as LLID 12.10478443363 is more accurately called Dry River, EPA, is proposing to add lishings for dissolved oxygen, pH and valual phospherus in 2012, and added a lishing for e. coll in 2010. Although the stream is designated for strain and rout rearing and migration from RM 0 - 91.6, the channel typically contains water only when under irrigation. With monitoring data only one monitoring station at the very north end of the channel, a realistic segment length is probably RM 0 to 6.4 rather than a 91 mile length of dry channel.	The headwaters of Lytle Creek are at RM 9.2 and the listed seament should be consistently RM 0 to 9.2	The water channel represented as LLID 12:10478443363 is more accurately celled Dry River. EPA is propositing to add listings for dissolved oxygen, pH and total phosphorus in 2012, and addeed a listing for a coll in 2010. Although the stream is designated for salmon and trout rearing and migration from RM 0 - 91 6, the channel typically contains water only when under irrigation. With monitoring data only one nonthloring station at the very north end of the channel, a realistic segment length is probably RM 0 to 6.4 tather than a 91 mile length of dry channel.	This water channel represented as LLID 1210478443363 is more accurately zalled Dry River. EPA is proposing to add listings for dissolved oxygen, pH and total phosphorus in 2012, and added a listing for e. coll in 2010. Although the stream is designated for salmon and trout rearing and magration from RM 0 - 918, the channel typically contains water only when under trigation. With monitoring data only one monitoring station at the very north end of the channel, a realistic segment length is probably RM 0 to 6.4 rather than a 81 mile length of dry channel.	The headwaters of Lytle Creek are at RM 9.2 and the listed segment should be consistently RM 0 to 9.2	The headwaters of Lytle Creek are at RM 9.2 and the listed segment should be consistently RM 0 to 9.2	Comments: DEQ The water channel represented as LLID 1210478443383 is more accurately celled Dry River. EPA is proposing to add listings for disabled oxygen, pH and total phosphonus in 2012, and added a listing for e. coli in 2010. Although the eterm is designated to salmon and trout rearing and migration from RM 0 - 91.6, the channel spicially contains water only when under irrigation. With mentilloring data only one monitoring station at the very north and of the channel, a realistic segment length is probably RM 0 to 6.4 rather than a 81 mile length of dry channel.	

Enclosure1

	42	A.	å	(c)	~	П
95	294	97	8 2	73	Row #	N
96 Heddin Creek	294 Trask River	97 Honsy Creek	62 Crooked River	73 Orift Creek	Stream Lake	8
1236155436098	1238611454680	1195605424030	1212676445778	1240200449111	THO	C
WILSON TRASK NESTUCCA UMPOUA	WILSON-TRASK- NESTUCCA	WARNER LAKES	UPPER CROOKED	SILETZYAQUINA	HUC Name	D
0-3.7	0-4.1 FM 4.5 to 18.6	9.25.6	70 - 120	<u>0-200</u>	Miles	3
Year round	Spawning	FWS	Year round	Spawning	Season	F
Biocriteria	Dissolved Oxygen	E. Call	Total Phosphorus	Dissolved Oxygen	Parameter	9
DEO	OFFO	DEQ	Storet, DEQ	DEQ Volunteer	Deta Source	I
17100203 17100303	17:00:203	17120007	17070304	17100204	HUC 9 Digit Do Not List OK To Code List	
₹	Yes revi seg	Yes	Yes	Yes revii segi	T SHOW	-
	moent (# 11			See with the control of the control	# (To	Ω
Correct this listing to be in HUC 8 Umpqua 17100303	Yes with If there is a tresignated samon spawning use, the DO spawning ordering ordering apply for the segment and time period. Spawning is segment designated on the Trask River from RM 27 to 4.5 (Oct 15 May 15), and for RM 4.5 to 18.6 (Sept 1 - June 15). EPA's data for Station 13433 at RM 4.5 in the designated spawning period show 6 ont of 22 (27%) exceedance of spawning 11.0 mg/L and 95% sat oriteria. So the listing should be for segment 4.5 to 18.5 (or spawning based on Station 13433 The lower portion (RM 0-27) where Station 13331 is located is not designated for salmon spawning and is likely saturatine waiter where DEO does not apply spawning criteria for resident trout spawning.	DECQ lab has re-easigned the latifung for DEQ Stellon 10741 Honey Creek at Plush to be lat 42.41902, tong -119.90515. The sistion plots correctly on Honey Creek. LLID 1199606424030.	Consider changing segment to RM 109.2-124.2 to bracket the river section with site data showing impairments.	Yes with Drift Creek is astuarine water in the lower end DEO does not revised apply DO spawning criteria for estuarine water. Drift Creek is segment destignated for salmon and sistellized spawning from RM 1.32 to 18.7, which would be appropriate for the segment listed for DO spawning. Given the dynamic mixing of salt and freshwater. DEG uses the conductivity reading taken at the time of the DO measurement to determine whether the extuarine or freshwater. OD criterion should be applied to any intividual measurement in the lower setuarine segment of Drift Creek.	Comments DEQ	